



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/625,902

07/24/2003

Hideyuki Otake

OKI.556

1200

20987 7590 01/19/2007  
VOLENTINE FRANCO, & WHITT PLLC  
ONE FREEDOM SQUARE  
11951 FREEDOM DRIVE SUITE 1260  
RESTON, VA 20190

EXAMINER

JEANGLAUDE, JEAN BRUNER

ART UNIT

PAPER NUMBER

2819

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

01/19/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/625,902	<b>Applicant(s)</b> OTAKE, HIDEYUKI	
	<b>Examiner</b> Jean B. Jeanglaude	<b>Art Unit</b> 2819	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on RCE filed on 12-13-06.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1, 3, 5, 7, 8, 10, 14, 22 - 26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 3, 5, 7, 8, 10, 14, 22 - 26 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

***Response To The Amendments/Arguments***

Applicant's arguments with respect to claims 1, 3, 5, 7, 8, 10, 14, 22- 26 have been considered but are moot in view of the new ground(s) of rejection.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1, 3, 5, 7, 8, 10, 14, 22 - 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brunolli et al. (US Patent Number 6,201,491) in view of Ginetti (US Patent Number 5,831,566).
2. Regarding claims 1, 22, Brunolli et al. discloses a digital-to-analog converting circuit (figs. 3, 5) comprising: a first potential terminal ( $V_{CC}$ ) for supplying a first potential; a second potential terminal (the ground) for supplying a second potential; an output node (output) for outputting an analog signal (figs. 3, 5); a first resistor circuit (302, fig. 3; 902, fig. 5) having a plurality of first resistors connected in series between a first node and the output node through a plurality of first connecting points (figs. 3, 5); a second resistor circuit (306, fig. 3; 906, fig. 5) having a plurality of second resistors connected in series between a second node and the output node through a plurality of second connecting points (figs. 3, 5) in which the first potential is a reference potential ( $V_{CC} = V_{ref}$ ) and the second potential is a ground potential (ground) (col. 6, lines 17, 18). Brunolli et al. does not specifically disclose a digital-to-analog converter that comprises

Art Unit: 2819

a first switching circuit including P-channel type MOS transistors each of the P-channel type MOS transistor connected directly to the first potential terminal, and to respective ones of the first connecting points and the first node wherein only the P-channel type MOS transistors are connected to the first resistors as switches; a second switching circuit including N-channel type MOS transistors each of the N-channel type MOS transistors connected directly to the second potential terminal (the ground), and to respective ones of the second connecting points and the second node wherein only the N-channel type MOS transistors are connected to the second resistors as switches; and a control circuit connected to the first and second switching circuits for controlling P-channel type MOS transistors and the N-channel type MOS transistors. However, Ginetti, in a related field, discloses a low voltage DAC that comprise a first switching circuit (MP0, ..., MP3) including P-channel type MOS transistors each of the P-channel type MOS transistor connected directly to the first potential terminal (Vdd), and to respective ones of the first connecting points and the first node wherein only the P-channel type MOS transistors are connected to the first resistors as switches (R4, R5, R6); a second switching circuit (MN0,..., MN3) including N-channel type MOS transistors each of the N-channel type MOS transistors connected directly to the second potential terminal Vss, and to respective ones of the second connecting points and the second node wherein only the N-channel type MOS transistors are connected to the second resistors as switches (fig. 2); and a control circuit (120, fig. 2) connected to the first and second switching circuits for controlling P-channel type MOS transistors and the N-channel type MOS transistors (fig. 2).. Therefore, it would have been obvious to

one of ordinary skill in the art at the time the invention was made to modify Brunolli et al.'s system with that of Ginetti in order to decode a digital input signal to control switches.

3. Regarding claims 3, 23, Brunolli et al. discloses a digital-to-analog converting circuit (figs. 3, 5) wherein the second switching circuit ( $S_1, \dots, S_4$ ) further has a an N-channel type MOS transistor connected between the second potential terminal and the output node (figs. 3, 5) [col. 4, lines 45 – 51].

4. Regarding claims 5, 24, Brunolli et al. discloses a digital-to-analog converting circuit (figs. 3, 5) wherein the control circuit includes a first decoder for controlling the P-channel type MOS transistors [the first switches] [col. 4, lines 45 – 51] and a second decoder for controlling the N-channel type MOS transistors [the second switches] [col. 4, lines 45 – 51] (col. 6, lines 6 – 16).

5. Regarding claim 8, Brunolli et al. discloses a digital-to-analog converting circuit (figs. 3, 5) comprising: a first potential terminal ( $V_{CC}$ ) supplying a first potential; a second potential terminal (the ground) supplying a second potential; an output node (the output) providing an analog signal; a plurality of first resistors (302, fig. 3; 902, fig. 5) connected in series between a first node and the output node, the first resistors being connected to each other at a plurality of first connecting points (figs. 3, 5); a plurality of second resistors (306, fig. 3; 906, fig. 5) connected in series between a second node and the output node, the second resistors being connected to each other at a plurality of second connecting points (figs. 3, 5) in which the first potential is a reference potential ( $V_{CC} = V_{ref}$ ) and the second potential is a ground potential (ground) (col. 6, lines 17, 18).

Brunolli et al. does not specifically disclose a digital-to-analog converter that comprises a plurality of first switches each of which is connected directly to the first potential terminal, and to respective ones of the first connecting points and the first node, wherein only P-channel type MOS transistors are connected to the first resistors as switches; a plurality of second switches each of which is connected directly to the second potential terminal, and to respective one of the second connecting points and the second node wherein only N-channel type MOS transistors are connected to the second resistors as switches; and a control circuit connected to control the P-channel type MOS transistors and the N-channel type MOS transistors. However, Ginetti, in a related field, discloses a digital-to-analog converter (fig. 2) that comprises a plurality of first switches (MP0, ..., MP3) each of which is connected directly to the first potential terminal (Vdd), and to respective ones of the first connecting points and the first node, wherein only P-channel type MOS transistors are connected to the first resistors as switches (Fig. 2) ; a plurality of second switches (MN0,..., MN3) each of which is connected directly to the second potential terminal, and to respective one of the second connecting points and the second node wherein only N-channel type MOS transistors are connected to the second resistors as switches (fig. 2); and a control circuit (120, fig. 2) connected to control the P-channel type MOS transistors and the N-channel type MOS transistors (fig. 2). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Brunolli et al.'s system with that of Ginetti in order to decode a digital input signal to control switches.

6. Regarding claim 10, Brunolli et al. discloses a digital-to-analog converting circuit (figs. 3, 5), further comprising an additional N-channel type MOS transistor (S1,..., S4) connected between the second potential terminal and the output node (figs. 3, 5) [col. 4, lines 45 – 51].

7. Regarding claim 12, Brunolli et al. discloses a digital-to-analog converting circuit wherein the control circuit includes a first decoder for controlling the P-channel type MOS transistor and a second decoder for controlling the N-channel type MOS transistors (col. 6, lines 6 – 16) [col. 4, lines 45 – 51].

8. Regarding claim 25, Brunolli et al. discloses a digital-to-analog converting circuit (figs. 3, 5), wherein the first potential is a reference potential ( $V_{cc}=V_{ref}$ ) and the second potential is a ground potential [ground] (col. 6, lines 17, 18).

***Claim Rejections - 35 USC § 103***

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 7, 14, 21 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brunolli et al. (US Patent Number 6,201,491) in view of Ginetti (US Patent Number 5,831,566) as applied to claim 1, 8, 22 above, and further in view of Leung et al. (US Patent Number 6,400,300).

11. Regarding claims 7, 14, 21, Brunolli et al. in combination with Ginetti discloses all the limitations as discussed above except the digital-to-analog converting circuit

Art Unit: 2819

comprising an amplifier connected to the output node for amplifying analog signal. However, Leung et al., in a related field, discloses a DAC (figs. 1) comprising an amplifier (26) connected to the output node for amplifying analog signal (fig. 1). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Brunolli et al.'s system with that of Leung et al. in order to carry out conversion process.

#### Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. (See PTO-892).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Jeanglaude whose telephone number is 571-272-1804. The examiner can normally be reached on Monday - Friday 7:30 A. M. - 5:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rexford Barnie can be reached on 571-272-7492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 2819

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Jean Bruner Jeanglaude  
Primary Examiner  
January 2, 2007